



The TT64 is a lightweight pagoda structure that is very suitable for rental purposes. Thanks to its light weight makes this type of pagoda quick and easy to erect and dismantle. The TT64 is available in 3×3, 4×4 and 5×5 metres. Because this is a lightweight pagoda tent, it is only possible to use PVC canvas in this tent profile.

Would you like to know more about our pagoda tents or specifically about the TT64? Please contact our specialists, they will be happy to give you appropriate advice!



This tent type is **widely used** for:



Events




Hospitality



Festivals




Weddings




General specifications

Dimensions:	3.00 x 3.00 m 4.00 x 4.00 m 5.00 x 5.00 m
Side height:	2.30 m
Ridge height:	4.77 m - 5.43 m
Roof cladding:	Translucent PVC canvas Opaque (block-out) PVC canvas
Gable cladding:	Translucent PVC canvas Opaque (block-out) PVC canvas
Profile size:	64 x 64 mm
Maximum wind load:	On request
Maximum snow load:	On request
Aluminium:	AL6082 en AL6005 Natural anodised Highly durable High corrosion resistance


Additional options:




Coloured PVC canvas



Transparent PVC canvas



Heavy-duty flooring




Cassette flooring



Transport rack



Coupling gutter between pagodas



TT64 series | 3x3 m, 4x4 m, 5x5 m | Pagoda

	Construction 3x3 metres	Construction 4x4 metres	Construction 5x5 metres
A Segment length c/c	2,897 mm	3,897 mm	4,897 mm
B Ridge height, adjustable	4,765 - 4,915 mm	5,023 - 5,173 mm	5,280 - 5,430 mm
C Inside height, adjustable	2,605 - 2,755 mm	2,864 - 3,014 mm	3,120 - 3,270 mm
D Side height	2,325 mm	2,325 mm	2,325 mm
E Passage height	2,252 mm	2,252 mm	2,252 mm
F Inside of columns	2,833 mm	3,833 mm	4,833 mm
G Outside of columns	2,961 mm	3,961 mm	4,961 mm

